

Yi Jia Global (Singapore) Pte Ltd
1 North Bridge Road #11-06
High Street Centre Singapore 179094

The following sample was submitted and identified by the client as:

Description : 1) Liquid Essence in bottle with spray nozzle

Sample Receiving Date : 17 December 2013
Date of Test/s Performed : 17 December 2013

Tests were conducted as requested and the following results were obtained :

Test Item(s):	Method	Results
		(1)
Arsenic (As), mg/kg	Analysis was performed by ICP/AES after as per acid digestion	< 1
Lead (Pb), mg/kg	Analysis was performed by ICP/AES after as per acid digestion	< 1
Mercury (Hg), mg/kg	Analysis was performed by ICP/AES after as per acid digestion	< 0.1
Copper (Cu), mg/kg	Analysis was performed by ICP/AES after as per acid digestion	< 1
Total Bacteria Count, cfu/ml	USP 36 <61>	< 10

Signed for and on behalf of
SGS Testing & Control Services Singapore Pte Ltd



Y C Tham (Ms)
Laboratory Manager

*** End of Report ***

Test Location: 3 Toh Tuck Link#01-02 Singapore 596228

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.